Archives of

Dermatological Research

Volume 281 1989/90

Editor-in-Chief: E. Christophers, Kiel

Managing Editors

P. Fritsch, Innsbruck

K. Halprin, Miami

O. P. Hornstein, Erlangen

E. G. Jung, Mannheim

S. I. Katz, Bethesda

R. Marks, Cardiff

G. Stüttgen, Berlin

H. Tagami, Sendai

Editorial Board

O. Braun-Falco, Munich

J. Civatte, Paris

I. Gigli, San Diego

V. K. Hopsu-Havu, Turku

S. Imamura, Kyoto

H. Ippen, Göttingen

L. Juhlin, Uppsala

A. Krebs, Berne

A. Kukita, Tokyo

E. Macher, Münster

R. M. Mackie, Glasgow

H. Maibach, San Francisco

Th. Nasemann, Hamburg

G. Plewig, Düsseldorf

H. Röckl, Würzburg

F. Serri, Rome

U. W. Schnyder, Zurich

G. K. Steigleder, Cologne

G. Stingl, Vienna

J. Thivolet, Lyon

K. Wolff, Vienna



Springer International

In 1869 the Archives of Dermatological Research was founded as Archiv für Dermatologie und Syphilis by H. Auspitz and F. J. Pick. Continued and edited by A. Neisser, L. v. Zumbusch, J. Jadassohn, W. Pick. Vols 1—127 (1920) published by Braunmüller, Vienna; as of Vol 128 (1921) by Springer, Berlin.

From 1921 until 1973 organ of the Deutsche Dermatologische Gesellschaft (Vereinigung deutschsprachiger Dermatologen). As of Vol 201 (1955) published as Archiv für klinische und experimentelle Dermatologie.

As of Vol 240 (1971) as Archiv für Dermatologische Forschung/Archives for Dermatological Research.

As of Vol 253 (1975) as Archives for Dermatological Research/Archiv für Dermatologische Forschung.

As of Vol 261 (1978) as Archives of Dermatological Research/Archiv für Dermatologische Forschung.

As of Vol 264 (1979) as Archives of Dermatological Research.

Submission of a manuscript implies: that the work described has not been published before (except in the form of an abstract or as part of a published lecture, review, or thesis); that it is not under consideration for publication elsewhere; that its publication has been approved by all coauthors, if any, as well as by the responsible authorities at the institute where the work has been carried out; that, if and when the manuscript is accepted for publication, the authors agree to automatic transfer of the copyright to the publisher; and that the manuscript will not be published elsewhere in any language without the consent of the copyright holders.

All articles published in this journal are protected by copyright, which covers the exclusive rights to reproduce and distribute the article (e.g., as offprints), as well as all translation rights. No material published in this journal may be reproduced photographically or stored on microfilm, in electronic data-bases, video-disks, etc., without first obtaining written permission from the publisher.

The use of general descriptive names, trade names, trademarks, etc., in this publication, even if not specifically identified, does not imply that these names are not protected by the relevant laws and regulations.

While the advice and information in this journal is believed to be true and accurate at the date of its going to press, neither the authors, the editors, nor the publisher can accept any legal responsibility for any errors or omissions that may be made. The publisher makes no warranty, express or implied, with respect to the material contained herein.

Special regulations for photocopies in the USA:

Photocopies may be made for personal or in-house use beyond the limitations stipulated under Section 107 or 108 of U.S. Copyright Law, provided a fee is paid. This fee is US\$ 0.20 per page, or a minimum of US\$ 1.00 if an article contains fewer than five pages. All fees should be paid to the Copyright Clearance Center, Inc., 21 Congress Street, Salem, MA 01970, USA, stating the ISSN 0340-3996, the volume, and the first and last page numbers of each article copied. The copyright owner's consent does not include copying for general distribution, promotion, new works, or resale. In these cases, specific written permission must first be obtained from the publisher.

Printers: Wiesbadener Graphische Betriebe GmbH, D-6200 Wiesbaden, Federal Republic of Germany

© Springer-Verlag GmbH & Co. KG, Berlin Heidelberg 1990 · Printed in Germany

Contents Volume 281

Original contributions, Short communications and Letters to the editors

Abmayr W, see Stolz W, et al. Abstract. Arbeitsgemeinschaft Dermatologischer Forschung (ADF) in cooperation with "Deutsche Dermatologische Gesellschaft" (DDG), XVI. Annual Meeting, November 25–27, 1988, Köln, Federal Republic of	336	Bos JD, Hagenaars C, Das PK, Krieg SR, Voorn WJ, Kapsenberg ML: Predominance of "memory" T cells (CD4+, CDw29+) over "naive" T cells (CD4+, CD45R+) in both normal and diseased human skin Bos JD, see Westerhof W, et al.	24 52
Abstracts: Arbeitsgemeinschaft Dermatologische Forschung (ADF) in cooperation Dermatologische Gesellschaft" XVII. Meeting,	119	Brandt J, see Blanc D, et al	346 81
November 17-19, 1989, Hamburg	544	overheating	66
Agache P, see Blanc D, et al	346	Brown WR, Furukawa RD, Ramsay CA: UVB radiation further stimulates proliferation in the already hyperproliferative epidermis of the asebia mouse	366
lymphocyte-stimulating cytokines (IL-2, IL-3, IL-4, and granulocyte-macrophage colony-stimulating factor) and OK-432	310	Brown WR, Furukawa RD, Shivji GM, Ramsay CA: Optimization of tetrachlorosalicylanilide and ultra- violet A doses at sensitization and challenge for contact	
			251
Akasaki S, see Imokawa G, et al	45	photosensitivity in the mouse	351
Anderson PH see Tempovite The et al.	260	Buehre Y, see Westerhof W, et al	52
Andreassi I see Firminni M et al	401 35	Canbanc M, see Brinnel H, et al	66
Andreassi L, see Fimiani M, et al	503	Caputa M, see Brinnel H, et al	66
Angeloni G, see Peserico A et al	463	Chamson A, Germain N, Claudy A, Perier C, Frey J:	
Anhalt GJ, see Gruner S, et al	526	Study of basement membrane formation in dermal-epi-	
Anheller J-E, Hellgren L, Karlstam B, Vincent J: Bio-	340	dermal recombinants in vitro	267
chemical and biological profile of a new enzyme prep-		Chardonnet Y, see Claudy AL, et al	333
aration from Antarctic krill (E. superba) suitable for		Chignol MC, see Claudy AL, et al	333
debridement of ulcerative lesions	105	Chorzelski TP, see Jones P, et al	406
Anton-Lamprecht I, see Haußer I, et al	165	Christophers E, see Schubert Ch et al	475
Arai A, see Kiesewetter F et al	508	Claudy A, see Chamson A, et al	267
Aronson M, see Filhaber A, et al	519	Claudy AL, Chignol MC, Chardonnet Y: Detection of	
Artuc M, Ramshad M, Kappus H: Studies on acute toxic		herpes simplex virus DNA in a cutaneous squamous	
effects to keratinocytes induced by hematoporphyrin		cell carcinoma by in situ hybridization	333
derivatives and laser light	491	Cocchi I, see De Rienzo B, et al	369
Asakawa Y, see Lepoittevin J-P, et al	227	Constans S, see Blanc D, et al	346
		Cooper KD, see Gupta AK, et al	219
Baadsgaard O, see Gupta AK, et al	219	Coppini M, see De Rienzo B, et al	369
Baart de la Faille H, see van Weelden H et al	470	Couchman JR, see Horiguchi Y, et al	427 530
Bartels T, see Meyer W, et al	541	Cros D du, see Pisansarakit P, et al	
Bassukas ID, Hornstein OP: Effects of plucking on the		Csáto M, see Kemény L, et al	362
anatomy of the anagen hair bulb. A light microscopic		Darmon M, see Regnier M, et al	538
study	188	Das PK, see Bos JD, et al	24
Benezra C, see Lepoittevin J-P, et al	227	Das PK, see Westerhof W, et al	52
Berliner S, see Filhaber A, et al	519	David M, see Filhaber A, et al	519
Berman B, see Duncan M	11	De Rienzo B, Mongiardo N, Pellegrino F, Coppini M,	
Bertoli P, see Peserico A et al	503	Lami G, Zanchetta G, Borghi V, Cocchi I, Squadrini F,	
Beutner EH, see Jones P, et al	406	Giannetti A: Heterosexual transmission of the human	
Bickers DR, see Merk HF, et al	198	immunodeficiency virus: a seroepidemiological study	369
Biolcati G, see Griso D, et al	291	De Santi, see Fimiani M, et al	35
Bjerke JR, see Livden JK, et al	392	Dezutter-Dambuyant C, see Parent D, et al	75
Bjerring P, see Ternowitz Th, et al	401	Diaz LA, see Dugan EM et al	463
Blanc D, Saint-Leger D, Brandt J, Constans S, Agache P:		Diezel W, see Gruner S, et al	526
An original procedure for quantitation of cutaneous	246	Dobozy A, see Kemény L, et al	362
resorption of sebum	346	Dugan EM, Labib RS, Anhalt GJ, Diaz LA: Selective	
Bohnert E, Jung EG: Nevoid basal cell carcinoma	219	surface radioiodination of keratinocytes in primary cul-	463
Bonnekoh B, Wevers A, Jugert F, Merk H, Mahrle G:	218	ture labels a 59 kD keratin and other surface proteins Duncan M, Berman B: Differential regulation of glycos-	403
Colorimetric growth assay for epidermal cell cultures		aminoglycan, fibronectin, and collagenase production	
by their crystal violet binding capacity	487	in cultured human dermal fibroblasts by interferon-	
Borghi V. see De Rienzo B. et al.	369	alpha -beta and -gamma	11

Eady RAJ, see Shimizu H et al	443	chemical and histochemical evaluation of tryptase in	
Ellis CN, see Gupta AK, et al	219	various human tissues	231
		Harvima IT, Naukkarinen A, Harvima RJ, Horsmanhei-	
Filhabar A. Barlinas C. Lidas I. Candhank M. Asansan		mo M: Enzyme- and immunohistochemical localization	
Filhaber A, Berliner S, Lidor J, Sandbank M, Aronson		of mast cell tryptase in psoriatic skin	387
M, David M: State of leukocyte adhesiveness/aggre-		Harvima RJ, see Harvima IT, et al	387
gation in the peripheral blood of pemphigus and psori-	640	Harvima RJ, see Harvima IT, et al	231
atic patients	519	Harvima RJ, see Neittaanmäki H, et al	99
Fimiani M, Simoni S, Miracco C, De Santi M, Luzi P,		Hashimoto K, see Ito K, et al	377
Andreassi L: Ultrastructural study of pseudo-Kaposi's		Hatamochi A, see Takeda K, et al	288
sarcoma (Bluefarb-Stewart type)	35	Haußer I, Anton-Lamprecht I, Hartschuh W, Petzoldt	
Fine JD, see Horiguchi Y, et al	427	D: Netherton's syndrome: ultrastructure of the active	
Fischer S, see Kuehnl-Petzoldt C	82	lesion under retinoid therapy	165
Fjellner B, Lindelöf B, Wahlgren C-F, Lengstam I: Influ-		Heenen M, see Parent D, et al	75
ence of grenz rays and psychological factors on exper-		Hellgren L, see Anheller J-E, et al	105
imental pruritus induced by histamine and compound		Hochsattel R, see Kaufmann D et al	511
48/80	111	Horiguchi Y, Fine JD, Ljubimov AV, Yamasaki H,	211
Fogh K, see Ternowitz Th, et al	401	Couchman JR: Entactin: ultrastructural localization	
Förström L, see Neittaanmäki H, et al	99		
Fräki JE, see Harvima IT, et al	231	of an ubiquitous basement membrane glycoprotein in	427
Fräki JE, see Neittaanmäki H, et al	99	mouse skin	1
Frey J, see Chamson A, et al	267		
Friedel J, see Brinnel H, et al	66	Horii I, see Kikuchi T et al	482
Frosch PJ, Czarnetzki BM: Effect of retinoids on wound		Horikawa T, see Tani M, et al	355
healing in diabetic rats	424	Hornstein OP, see Bassukas ID	188
Funa K, see Nilsson H	260	Hornstein OP, see Kiesewetter F et al	508
Furukawa F, see Kanauchi H, et al	327	Horsmanheimo M, see Harvima IT, et al	387
Furukawa RD, see Brown WR, et al	366	Horsmanheimo M, see Harvima IT., et al	231
Furukawa RD, see Brown WR, et al	351	Hoshino T, Ishida K, Irie T, Uekama K, Ono T: An	
		attempt to reduce the photosensitizing potential of	
Coop CI Tue E Maihach III Cuu BII Cutanagus na		chlorpromazine with the simultaneous use of β - and	
Gean CJ, Tur E, Maibach HI, Guy RH: Cutaneous re-		dimethyl- β -cyclodextrins in guinea pigs	60
sponses to topical methyl nicotinate in black, oriental,	0.5		
and caucasian subjects	95	Igarashi A, Takehara K, Soma Y, Kikuchi K, Ishibashi	
Germain N, see Chamson A, et al.	267	Y: Mitogenic activities for skin fibroblasts in the sera	
Giannetti A, see De Rienzo B, et al	369	from untreated scleroderma patients at the early stage	383
Gnas W, see Wolff HH	209	Ikai K, Ujihara M, Urade Y: Changes of the activities of	
Godfrine S, see Parent D, et al	75	enzymes involved in prostaglandin synthesis in rat skin	
Goerz G, see Malzfeldt et al	193	during development and aging	433
Graudal H, see Jurik AG, et al.	185	Ikeda S, Song Y, Yaguchi H, Naito K, Morioka S, Ogawa	
Greene RM, Winkelmann RK, Opfer-Gehrking TL,		H, Muramatsu T: Ultrastructural localization of the	
Low PA: Sweating patterns in atopic dermatitis	252	binding sites of antibasement membrane zone anti-	
patients	373	bodies in lichen planus pemphigoides on 1.0 M sodium	
Griso D, Macrì A, Biolcati G, Topi G: Does an association		chloride-separated skin	505
exist between PCT and SLE? Results of a study on		Imamura S, see Kanauchi H, et al	327
autoantibodies in 158 patients affected with PCT	291	Imokawa G, Akasaki S, Minematsu Y, Kawai M: Import-	
Grosshans E, see Brinnel H, et al	66	ance of intercellular lipids in water-retention properties	
Groth-Tittmann I, Villiers E-M de, Jung EG: Attempts		of the stratum corneum: induction and recovery study	
to find retroviral sequences in psoriatic cells	213	of surfactant dry skin	45
Gruner S, Diezel W, Strunk D, Zwirner A, Sönnichsen N,		Inagaki Y, Jinno Y, Hamasaki Y, Ueki H: Higher inci-	
Anhalt GJ: Stimulation of the recruitment of epidermal		dences of anti-SS-A/Ro and anti-SS-B/La autoanti-	
Langerhans cells by splenopentin	526	bodies in Japanese patients with autoimmune dis-	
Gupta AK, Baadsgaard O, Ellis CN, Voorhees JJ, Cooper		orders - studies of antigens and antibodies using the	
KD: Lymphocytes and macrophages of the epidermis		immunoblotting method	89
and dermis in lesional psoriatic skin, but not epidermal		Inoue S, see Kitajima Y et al	5
Langerhans cells, are depleted by treatment with		Irie T, see Hoshino T, et al	60
cyclosporin A	219	Iryo K, see Miyasato M, et al	304
Guy RH, see Gean CJ, et al	95	Isei T, see Schubert Ch et al	475
		Isemura M, see Kazama T, et al	440
Hagenaars C, see Bos JD, et al	24	Ishibashi Y, see Igarashi A, et al	383
Hahn BL, see Sohnle PG		Ishida K, see Hoshino T, et al	60
Hamada T, see Mizuno N et al		Ishii M, see Mizuno N et al	515
Hamasaki Y, see Inagaki Y, et al		Ito K, Hashimoto K: Antikeratin autoantibodies in the	313
Happle R, see Perret CM		amyloid deposits of lichen amyloidosus and macular	
Harada S, see Tani M, et al.		amyloidosis	377
Hartschuh W, see Haußer I, et al		Ito M, see Katsuumi K et al	
Harvima IT, Karkola K, Harvima RJ, Naukkarinen A,		Ito M, see Okuda C, et al	
Neittaanmäki H, Horsmanheimo M, Fräki JE: Bio-		Ito M, see Serizawa S, et al	
The state of the s			-T 1 1

Ito M: Biologic roles of the innermost cell layer of the		Ko I-J, see Tsuboi R, et al	342
outer root sheath in human anagen hair follicle: further	254	Koizumi H, Yasui C, Shimizu T, Ohkawara A: Stimu-	
electron microscopic study	254	lation of prostaglandin E adenylate cyclase response in	24.5
F - V - I 1: V - 1 - 1	90	pig epidermis by hydrocortisone	215
Jinno Y, see Inagaki Y, et al	89	Kono T, see Mizuno N et al	515
Johansson C, see Nilsson H	260	Konter U, Kellner I, Klein E, Kaufmann R, Mielke V,	
Jones P, Kumar V, Beutner EH, Chorzelski TP: A simple		Sterry W: Adhesion molecule mapping in normal hu-	454
method for elution of IgA deposits from the skin of	106	man skin	454
patients with dermatitis herpetiformis	406	Korstanje MJ: Cyclosporin A administration in derma-	526
Jones SK, Pocock PV, Briggs JC: Tumor thickness is not	0.4	tology: Once a day or in fractional doses?	536
a prognostic factor in thin melanoma	81	Köditz W, see Stolz W, et al	336
Jugert F, see Bonnekoh B et al	487	Kragballe K, see Ternowitz Th, et al	401
Jung EG, see Bohnert E	218	Krieg SR, see Bos JD, et al	24
Jung EG, see Groth-Tittmann et al	213	Krieg T, see Stolz W, et al	336 511
Jurik AG, Graudal H, Kirstein H: Lack of antikeratin			82
antibodies in patients with palmoplantar pustular erup-	185	Kuehnl-Petzoldt C, Fischer S: Reply to Jones SK Kuhn C, see Merk HF, et al	198
tions and arthropathy	103	Kumar V, see Jones P, et al	406
Varanti II Fundam F Imamo S. Fundantian of		Rullial V, see Jolles F, et al	400
Kanauchi H, Furukawa F, Imamura S: Evaluation of			
ATPase-positive Langerhans' cells in skin lesions of lu-		Labib RS, see Dugan EM et al	463
pus erythematosus and experimentally induced inflam-	327	Lami G, see De Rienzo B, et al	369
mations	341	Lauharanta J: Ultrastructure of cultured mouse S91 mela-	507
Kanerva L: Electron microscopy of epidermal and dermal	321	noma cells with special emphasis on viral particles	284
Langerhans' cells in long-lasting allergy patch tests . Kappus H, see Artuc M et al	491	Lavrijsen APM, Tieben LM, Ponec M, Schroeff JG van	204
Kapsenberg, see Bos JD, et al	24	der, Muijen GNP van: Expression of EGF receptor,	
Karkola K, see Harvima IT, et al	231	involucrin, and cytokeratins in basal cell carcinomas	
Karlstam B, see Anheller J-E, et al	105	and squamous cell carcinomas of the skin	83
Kasada M, see Miyasato M, et al	304	Lehmann P, see Malzfeldt et al	193
Katayama I, Masuzawa M, Nishioka K, Nishiyama S:	304	Lengstam I, see Fjellner B, et al	111
Anticardiolipin antibody in Henoch-Schönlein purpura		Lepoittevin J-P, Benezra C, Asakawa Y: Allergic contact	
and related vascular disorders	296	dermatitis to Ginkgo biloba L.: relationship with	
Kato T, see Terui T, et al	31	urushiol	227
Katsuumi K, Ito M, Kazama T, Sato Y: Two-dimensional	31	Lidor J, see Filhaber A, et al	519
electrophoretic analysis of human hair keratins, es-		Lindelöf B, see Fjellner B, et al	111
pecially hair matrix proteins	496	Lippold BC, see Malzfeldt et al	193
Kaufmann D, Krone W, Hochsattel R, Martin R: A cell	1,70	Livden JK, Nilsen R, Bjerke JR, Matre R: In situ localiza-	
culture study on melanocytes from patients with		tion of interferons in psoriatic lesions	392
neurofibromatosis-1	511	Ljubimov AV, see Horiguchi Y, et al	427
Kaufmann R, see Konter U et al	454	Low PA, see Greene RM, et al	373
Kawai M, see Imokawa G, et al	45	Lundahl P, see Scheynius	521
Kazama, T, see Katsuumi K et al	496	Luzi P, see Fimiani M, et al	35
Kazama T, Nakamura T, Isemura M, Sato Y: Immuno-			
histochemical localization of heparan sulfate-contain-			
ing proteoglycan in normal human skin with mono-		Macrì A, see Griso D, et al	291
clonal antibodies: comparison with that of fibronectin	440	Mahrle G, see Bonnekoh B et al	487
Kellner I, see Konter U et al	454	Maibach HI, see Gean CJ, et al	95
Kemény L, Csató M, Dobozy A: Pharmacological studies		Maibach HI, see Wilhelm K-P et al	293
on dithranol-induced irritative dermatitis in mice	362	Malloy V, see Matias JR	247
Kennedy AR, see Shimizu H et al	443	Malzfeldt E, Lehmann P, Lippold BC, Goerz G: Influence	
Khan WA, see Merk HF, et al	198	of drug solubility in the vehicle on clinical efficacy of	
Kiesewetter F, Schell H, Seidel C, Arai A, Hornstein OP:		ointments	193
Cell kinetics of anagen scalp hair bulbs in hirsutism		Marini A, see Peserico A et al	503
analysed by DNA-flow cytometry	508	Martin R, see Kaufmann D et al	511
Kikuchi K, see Igarashi A, et al	383	Masuzawa M, see Katayama I, et al	296
Kikuchi T, Horii I, Sakamoto T, Nakayama Y, Tagami		Matias JR, Malloy V, Orentreich N: Animal models of	
H: Demonstration of neutrophil chemotactic		androgen-dependent disorders of the pilosebaceous ap-	
anaphylatoxins in human dandruff		paratus. 1. The androchronogenetic alopecia (AGA)	
Kirstein H, see Jurik AG, et al		mouse as a model for male-pattern baldness	
Kitajima Y, Inoue S, Yaoita H: Abnormal organization		Matre R, see Livden JK, et al	
of keratin intermediate filaments in cultured keratin-		Matsuda K, see Tsuboi R, et al	
ocytes of epidermolysis bullosa simplex		Matsuda K, see Tsuboi R, et al	
Kitano Y, see Okada N, et al		Matsui-Yuasa I, see Mizuno N et al	
Klein E, see Konter U et al		McDonald JN, see Shimizu H et al	
Klinger R, see Wollina U, et al		McMaster J, Perenna Rogers M, Sherratt HSA, Shuster	
Knop J, see Schöne A, et al		S: Effects of isotretinoin on lipid metabolism in the rat	116
Knopf B, see Wollina U, et al	75	Merk H, see Bonnekoh B et al	487

Merk HF, Khan WA, Kuhn C, Bickers DR, Mukhtar H: Effect of topical application of clotrimazole to rats on		Okuda C, Ito M, Sato Y, Oka K: Fungus invasion of human hair tissue in tinea capitis caused by	
epidermal and hepatic monooxygenase activities and	100	Microsporum canis: light and electron microscopic	220
cytochrome P-450	198 299	Study	238
Meurer M, see Schulte C, et al	299	Ono T, see Hoshino T, et al	60 373
Meyer W, Bartels T, Tsukise A, Neurand K: Histo- chemical aspects of stratum corneum function in the		Opfer-Gehrking TL, see Greene RM, et al	247
feline foot pad	541	Ortonne J-P, see Regnier M, et al	538
Mielke V, see Konter U et al.	454	Ostmeier H, Suter L: The Ki-67 antigen in primary human	336
Minematsu Y, see Imokawa G, et al	45	melanomas — its relationship to mitotic rate and tumor	
Miracco C, see Fimiani M, et al	35	thickness and its stability	173
Miyagawa S, see Okada N, et al	1	Otani S, see Mizuno N et al	515
Miyakawa S, Tajima S, Nishikawa T: In vitro cell-free		Ottain 5, 500 Mileano 14 ot al	313
synthesis of bullous pemphigoid polypeptide	449		
Miyasato M, Tsuda S, Kasada M, Iryo K, Sasai Y: Alter-		Panciera A, see Peserico A et al	503
ation in the density, morphology, and biological proper-		Parent D, Godfrine S, Dezutter-Dambuyant C, Staquet	
ties of eosinophils produced by bullous pemphigoid blis-		MJ, Heenen M, Schmitt D, Thivolet J: In situ identifi-	
ter fluid	304	cation of cycling I angerhans cells in normal human	
Mizuno N, Kono T, Tanii T, Ishii M, Hamada T, Yoshida		skin	75
H, Matsui-Yuasa I, Otani S, Morisawa S: Increase in		Pavel S, see Westerhof W, et al	52
the expression of the ornithine decarboxylase gene in		Pellegrino F, see De Rienzo B, et al	369
mouse skin by ultraviolet light	515	Perenna Rogers M, see McMaster J, et al	116
Mojamdar M, see Puri N, et al	178	Perier C, see Chamson A, et al	267
Mongiardo N, see De Rienzo B, et al	369	Perret CM, Happle R, Contact sensitivity to diazolidinyl	67
Moore GPM, see Pisansarakit P, et al	530	urea (Germall II)	57
Morioka S, see Ikeda S et al	505	Peserico A, Angeloni G, Bertoli P, Marini A, Piva G,	
Morisawa S, see Mizuno N et al	515	Panciera A, Suma V: Prevalence of polycystic ovaries	502
Muijen GNP van, see Lavrijsen APM, et al	83	in women with acne	503 165
Mukhtar H, see Merk HF, et al	198	Petzoldt, D, see Haußer I, et al	103
Muramatsu T, see Ikeda S et al	505	keratinocytes derived from epidermal explants of sheep	
Murata Y, see Tani M, et al	355	skin and the roles of growth factors in the regulation of	530
Nagai T, see Serizawa S, et al	411	Pittelkow MR, see Schallreuter KU	40
Naito K, see Ikeda S et al	505	Piva G, see Peserico A et al	503
Nakamura T, see Kazama T, et al	440	Pocock PV, see Jones SK, et al	81
Nakayama Y, see Kikuchi T et al	482	Ponec M, see Lavrijsen APM, et al	83
Naukkarinen A, see Harvima IT, et al	231	Puri N, Mojamdar M, Ramaiah A: Growth defects of	
Naukkarinen A, see Harvima IT, et al	387	melanocytes in culture from vitiligo subjects are spon-	
Neitaanmäki H, see Harvima IT, et al	231	taneously corrected in vivo in repigmenting subjects and	
Neittaanmäki H, Fräki JE, Harvima RJ, Förström L:		can be partially corrected by the addition of fibroblast-	
Alpha-fluoromethylhistidine in the treatment of idio-	00	derived growth factors in vitro	178
pathic cold urticaria	99		
Neurand K, see Meyer W, et al	541 392	Ramaiah A, see Puri N, et al	178
Nilsen R, see Livden JK, et al	392	Ramsay CA, see Brown WR, et al	351
Scheynius A: Induction of mRNA for HLA-DR β in		Ramsay CA, see Brown WR, et al	366
human keratinocytes cocultured with interferon-		Ramshad M, see Artuc M et al	491
gamma	260	Regnier M, Ortonne J-P, Darmon M: Histological defects	
Nishikawa T, see Miyakawa S et al	449	of chronic benign familial pemphigus expressed in tissue	
Nishioka K, see Katayama I, et al	296	culture	538
Nishiyama S, see Katayama I, et al	296	Remme JJ, see Wit RFE de	206
Nobunaga M, see Shingu M, et al	203	Rokugo M, see Terui T, et al	31
Ogawa H, see Ikeda S et al	505	S. Imai: Cutaneous reactions to kallikrein and histamine	
Ogawa H, see Tsuboi R, et al	342	in patients with urticaria	437
Ogawa H, see Tsuboi R, et al	78	Saint-Leger D, see Blanc D, et al	346
Ohkawara A, see Koizumi H, et al	215	Sakamoto K, see Okada N, et al	1
Ohta H, see Takematsu H, et al	398	Sakamoto T, see Kikuchi T et al	482
Oikarinen A, Vuorio E, Vuorio T: Comparison of the		Sandbank M, see Filhaber A, et al	519
effects of dexamethasone and 13-cis-retinoic acid on		Sandberg K, see Nilsson H	260
connective tissue biosynthesis in human skin fibroblasts	273	Santti R, see Tammi R, et al	417
Oka K, see Okuda C, et al	238	Sasai Y, see Miyasato M, et al	304
Okada N, Miyagawa S, Horiguchi Y, Kitano Y,		Sato Y, see Katsuumi K et al	496
Yoshikawa K, Sakamoto K, Steinberg ML: Synthesis		Sato Y, see Kazama T, et al	440
of epidermolysis bullosa acquisita antigen by simian virus 40-transformed human keratinocytes	4	Sato Y, see Okuda C, et al	238
vii do 40-transformed numan keratmocytes	1	Sato Y, see Serizawa S, et al	411

Schallreuter KU, Pittelkow MR: Regulation of thiored-		Takeda K, Hatamochi A, Ueki H: Increased number of	
oxin reductase by calcium in Hermansky-Pudlak	40	mast cells accompany enhanced collagen synthesis in	200
syndrome	40	linear localized scleroderma	288
Scharffetter K, see Stolz W, et al	336	Takehara K, see Igarashi A, et al	383
Schell H, see Kiesewetter F et al	508	Takematsu H, Ohta H, Tagami H: Absence of tumor	
Scheynius A, Lundahl P: Three-dimensional visualization		necrosis factor-α in suction blister fluids and stratum	200
of human Langerhans' cells using confocal scanning	524	corneum from patients with psoriasis	398
laser microscopy	521	Tammi R, Santti R: Morphometric analysis of human	
Scheynius A, see Nilsson H	260	epidermis treated with testosterone and dehydroepi-	447
Schmitt D, see Parent D et al	75	androsterone in organ culture	417
Schöne A, Zimmermann E, Knop J: Induction of pro-		Tani M, Murata Y, Harada S, Takashima T, Horikawa	
coagulant activity in human epidermal cells	316	T: Increased contact hypersensitivity response in mice	
Schroeff JG van der, see Lavrijsen APM, et al	83	by topical application of 1α,25-dihydroxyvitamin D ₃ to	
Schröder J-M, see Ternowitz Th, et al	401	elicitation site	355
Schubert Ch, Christophers E, Swensson O, Isei T: Trans-		Tanii T, see Mizuno N et al	515
endothelial cell diapedesis of neutrophils in inflamed		Tatsukawa K, see Shingu M, et al	203
human skin	475	Ternowitz Th, Andersen PH, Bjerring P, Fogh K,	
Schulte C, Meurer M: Soluble II-2 receptor serum levels —		Schröder J-M, Kragballe K: 15-Hydroxyeicosatetra-	
a marker for disease progression in patients with HIV-1		enoic acid (15-HETE) specifically inhibits the LTB ₄ -	
infection	299	induced skin response	401
Seidel C, see Kiesewetter F et al	508	Terui T, Rokugo M, Kato T, Tagami H: Analysis of the	
Serizawa S, Nagai T, Ito M, Sato Y: Simplified determi-		proinflammatory property of epidermal cyst contents:	
nation of serum cholesterol sulfate by gas-liquid chro-		chemotactic C5a anaphylatoxin generation	31
matography combined with cyclohexylsilane-bonded		Thivolet J, see Parent D, et al	75
phase column purification	411	Tieben LM, see Lavrijsen APM, et al	83
Sherratt HSA, see McMaster J, et al	116	Topi G, see Griso D, et al	291
Shimizu H, McDonald JN, Kennedy AR, Eady RAJ:		Tsuboi R, Matsuda K, Ko I-J, Ogawa H: Correlation	
Demonstration of intra- and extracellular localization		between culture medium pH, extracellular proteinase	
of bullous pemphigoid antigen using cryofixation and		activity, and cell growth of Candida albicans in insoluble	
freeze substitution for postembedding immunoelectron		stratum corneum-supplemented media	342
microscopy	443	Tsuboi R, Yamaguchi T, Matsuda K, Ogawa H: Extra-	
Shimizu T, see Koizumi H, et al	215	cellular proteinase production and the pathogenicity of	
Shingu M, Tatsukawa K, Nobunaga M: Intracellular con-	210	Nocardiae	78
tents of cyclic nucleotides in neutrophils and lympho-		Tsuda S, see Miyasato M, et al.	304
cytes from patients with systemic lupus erythematosus	203	Tsukise A, see Meyer W, et al	541
	351		95
Shivji GM, see Brown WR, et al		Tur E, see Gean CJ, et al	93
Shuster S, see McMaster J, et al	116		
Siddiqui AH, see Westerhof W, et al	52	Uekama K, see Hoshino T, et al	60
Simoni S, see Fimiani M, et al	35	Ueki H, see Inagaki Y, et al	89
Sohnle PG, Hahn BL: Epidermal proliferation and the		Ueki H, see Takeda K, et al	288
neutrophilic infiltrates of experimental cutaneous can-		Ujihara M, see Ikai K, et al	433
didiasis in mice	279	Unteregger G, see Späder M	19
Soma Y, see Igarashi A, et al	383	Urade Y, see Ikai K, et al	433
Song Y, see Ikeda S et al	505		
Sönnichsen N, see Gruner S, et al	526	Walder H. Valthuis DI. Boost de la Faille H. Liebt	
Späder M, Unteregger G: Increased phosphorylation of		van Weelden H, Velthuis PJ, Baart de la Faille H: Light-	
two 48 kDa nuclear proteins in fibroblasts derived from		induced skin lesions in lupus erythematosus:	450
psoriatic patients	19	photobiological studies	470
Squadrini F, see De Rienzo B, et al	369	Velthuis PJ, see van Weelden H et al	470
Staquet MJ, see Parent D, et al	75	Villiers E-M de, see Groth-Tittmann et al	213
Steinberg ML, see Okada N, et al	1	Vincent J, see Anheller J-E, et al	105
Sterry W, see Konter U et al	454	Voorhees JJ, see Gupta AK, et al	219
Stolz W, Scharffetter K, Abmayr W, Köditz W, Krieg T:		Voorn WJ, see Bos JD, et al	24
An automatic analysis method for in situ hybridization		Vuorio E, see Oikarinen A, et al	273
using high-resolution image analysis	336	Vuorio T, see Oikarinen A, et al	273
Strunk D, see Gruner S, et al			
		Wahlgren C-F, see Fiellner B, et al	111
Suma V, see Peserico A et al			111
Surber C, see Wilhelm K-P, et al		Westerhof W, Buehre Y, Pavel S, Bos JD, Das PK, Krieg	
Suter L, see Ostmeier H		SR, Siddiqui AH: Increased anthralin irritation re-	60
Swensson O, see Schubert Ch et al	475	sponse in vitiliginous skin	52
		Wetzker R, see Wollina U, et al	66
Tagami H, see Aiba S, et al		Wevers A, see Bonnekoh B et al	487
Tagami H, see Kikuchi T et al		Wilhelm K-P, Surber C, Maibach HI: Quantification of	
Tagami H, see Takematsu H, et al		sodium lauryl sulfate irritant dermatitis in man. Com-	
Tagami H, see Terui T, et al		parison of four techniques: skin color reflectance, trans-	
Tajima S, see Miyakawa S et al		epidermal water loss, laser Doppler flow measurement	
Takashima T. see Tani M. et al.	355	and visual scores	293

Winkelmann RK, see Greene RM, et al	373	Yaguchi H, see Ikeda S et al		0				505
Wit RFE de, Remme JJ: A report on the efficacy of		Yamaguchi T, see Tsuboi R, et al						78
regional intravenous sympathetic blocks (RIS-blocks)		Yamasaki H, see Horiguchi Y, et al						427
with guanethidine (Ismelin) in long-standing and com-		Yaoita H, see Katajima Y et al						5
plicated leg ulcers	206	Yasui C, see Koizumi H, et al						215
Wolff HH, Gnas W: Immunocytochemical detection of		Yoshida H, see Mizuno N et al				*		515
in vitro incorporated 5-bromodeoxyuridine in paraffin sections of human skin	209	Yoshikawa K, see Okada N, et al	*	*	*	*		1
Wollina U. Klinger R. Wetzker R. Knopf B: Increase		Zanchetta G, see De Rienzo B, et al.						369
of epidermal calmodulin precedes the formation of a		Zimmermann E, see Schöne A, et al.						
psoriatic lesion	73	Zwirner A, see Gruner S, et al						

